

SAFETY DATA SHEET

1. Identification of the substance/mixture and of the company

1.1 Product identifier

**Product Name: SpliceMaster[®] Cable
Cleaner Type NF
(Saturated Towel Package)**

Product ID numbers: NF-T369, NF-T369/S

1.2 Relevant identified uses of the mixture and uses advised against

Identified uses: Electrical cleaner

List of advices against: Not applicable.

1.3 Details of the supplier of the safety data sheet

Supplier/Manufacturer:

American Polywater Corporation
11222 - 60th Street North
Stillwater, MN 55082 USA
Tel: 1-651-430-2270
Email: sds@polywater.com

Polywater Europe BV
Zuidhaven 9-11 Unit B2
4761 CR Zevenbergen
Netherlands
Tel: +31 (0)10 2330578
Email: sds@polywater.com

1.4 Emergency telephone numbers

INFOTRAC 1-352-323-3500 (USA)

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to OSHA 29 CFR 1910.1200 and Regulation (EC) No 1272/2008.

This product is not classified as dangerous according to GHS criteria.

2.2 Label elements

Pictograms: None required.

Signal word: None required.

Hazard Statements: None required.

2.3 Other hazards: No information available.

3. Composition/Information on Ingredients

<u>Component</u>	<u>CAS #</u>	<u>EC #</u>	<u>Wt. %</u>	<u>GHS/CLP Classification</u>
1,1,1,2,2,3,4,5,5,5-decafluoropentane	138495-42-8	--	< 15 gm/towel (<60%)	Aquatic Chronic 3, H412
Trans, 1,2- Dichlorethylene	156-60-5	205-860-2	< 15 gm/towel (<60%)	Flam Liq 2, H225 Aquatic Chronic 3, H412
Cyclopentane	287-92-3	206-016-6	< 3 gm/towel (<10%)	Flam Liq 2, H225 Acute Tox 4, H332 Aquatic Chronic 3, H412

4. First Aid Measures

4.1 Description of first aid measures

- Eye Contact:** If eye irritation from exposure to vapors develops, move to fresh air. Flush eyes with clean water. If irritation persists, seek medical attention. For direct eye contact, flush with large quantity of water for 15 minutes. Seek medical attention.
- Skin Contact:** Remove contaminated clothing; flush skin thoroughly with water. If irritation occurs, seek medical attention.
- Inhalation (Breathing):** If irritation of nose or throat develops, move to fresh air. If irritation persists, seek medical attention. If breathing is difficult, provide oxygen. If not breathing, give artificial respiration. Seek immediate medical attention.
- Ingestion (Swallowing):** Do not induce vomiting or give anything by mouth unless directed to do so by medical personnel. Get medical attention if symptoms appear.

4.2 Most important symptoms and effects, both acute and delayed

Refer to Section 11 for more information.

4.3 Indication of immediate medical attention and special treatment needed.

No information available.

5. Firefighting Measures**5.1 Extinguishing media:**

Water Spray, Water Fog, Carbon Dioxide, Dry Chemical or Foam.

5.2 Special hazards arising from the substance or mixture

No unusual fire or explosion hazards are anticipated. No unusual effects are anticipated during fire extinguishing operations. Avoid breathing the products and substances that may result from the thermal decomposition of the product or the other substances in the fire zone.

Hazardous decomposition and by-products:

Decomposition products may include hydrogen fluoride, hydrogen chloride, carbon oxides, and carbonyl halides.

5.3 Advice for firefighters

Exposure to extreme heat can give rise to thermal decomposition. Keep containers cool with water spray when exposed to fire to avoid rupture. Wear appropriate, protective clothing, including self-contained, positive pressure or pressure-demand breathing apparatus.

6. Accidental Release Measures**6.1 Personal precautions, protective equipment and emergency procedures:**

Ventilate area with fresh air.

6.2 Environmental precautions:

Avoid release to the environment. Dyke the spill to prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods materials for containment and cleaning up:

Minimal spill hazard with saturated towel package. Absorb spill with sand or absorbents. Collect as much of the spilled material as possible using non-sparking tools and transfer to a container. Seal the container. Remember, adding an absorbent material does not change the toxicity or flammability hazard.

6.4 Reference to other sections:

Refer to Sections 4, 5, 8, and 13 for more information.

7. Handling and Storage**7.1 Precautions for safe handling**

For industrial or professional use only. Avoid breathing vapors or spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contents may be under pressure, open carefully. Use ventilation to control airborne exposure below occupational exposure limits. If ventilation is not adequate, use respiratory protection equipment.

7.2 Conditions for safe storage, including incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store away from strong bases and oxidizing agents.

7.3 Specific end uses

See flyer on this product for further information.

8. Exposure Controls / Personal Protection

8.1 Control parameters

Exposure limits and recommendations:

Component Name	Limit	Standard	Source/Note
1,1,1,2,2,3,4,5,5,5- decafluoropentane	Not Established		
Trans, 1,2- Dichlorethylene	200 ppm	OSHA PEL	US
	200 ppm	ACGIH TLV	US
Cyclopentane	600 ppm	ACGIH TLV	US

8.2 Exposure controls

Respiratory protection:

Normal ventilation is adequate. If exposure exceeds recommended limits, respirator protection is recommended. Use a respirator or gas mask with cartridges for organic vapors (NIOSH-approved) or use supplied air equipment.

Protective gloves:

For repeated or prolonged skin contact, the use of impermeable gloves (neoprene, nitrile rubber, polymer laminate) is recommended to prevent drying and possible irritation.

Eye protection:

Safety glasses recommended.

Other protective equipment:

It is suggested that a source of clean water be available in work area for flushing eyes and skin. Impervious clothing should be worn as needed.

9. Physical and Chemical

9.1 Information of basic physical and chemical properties

Appearance:	Clear, colorless liquid.
Odor threshold:	Not available
pH:	Neutral
Melting point:	< -58°F / < -50°C
Boiling point:	100°F / 38°C (initial)
Evaporation rate:	>1 (n-butyl acetate = 1)
Flash point:	No flashpoint
Flammability (solid, gas):	Not applicable to liquids
Upper/lower flammability or explosive limits:	LEL: 6% UEL: 11%
Vapor pressure:	614 hPa @25°C
Vapor density (Air = 1):	4.7 (Air = 1)
Specific gravity (H₂O = 1):	1.33
Solubility in water:	Slightly soluble
Coefficient of Water/Oil Distribution:	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available

Viscosity: 0.49 mPa @ 25 °C

9.2 Other Information

Volatiles (Weight %): 100%

VOC Content: 665 g/l

10. Stability and Reactivity

10.1 Reactivity:

See remaining headings in Section 10.

10.2 Chemical stability:

Stable

10.3 Possibility of hazardous reactions:

None known.

10.4 Conditions to avoid:

None known.

10.5 Incompatible materials :

Strong bases and strong oxidizing agents.

10.6 Hazardous decomposition products:

Carbon dioxide, carbon monoxide, toxic vapor, gas and particulate during combustion. Hydrogen fluoride, hydrogen chloride, and carbonyl halides at elevated temperatures/extreme conditions of heat.

11. Toxicological Information

11.1 Information on toxicological effects:

Acute toxicity

Eye contact:

Direct eye contact may cause eye irritation. This irritation is minimal and expected to be transient.

Skin contact:

Prolonged or repeated skin exposure can remove oils, causing redness, drying and cracking. Persons with pre-existing skin disorders may be more susceptible to skin irritation from this material.

Irritation and Sensitization Potential:

Product may be irritating to skin and eyes. It is not a sensitizer.

Inhalation (Breathing):

May cause respiratory tract irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion:

Ingestion of large quantities may cause irritation of the digestive tract, nervous system depression (e.g., drowsiness, dizziness, loss of coordination, and fatigue).

Toxicity to Animals:

1,1,1,2,2,3,4,5,5,5-decafluoropentane	LD ₅₀ (oral rat) >5,000 mg/kg
	LD ₅₀ (dermal rabbit) >5,000 mg/kg
	LC ₅₀ (inhl rat) 11,100, 4 hours

Trans, 1,2- Dichlorethylene	LD ₅₀ (oral rat) 7,902 mg/kg
	LD ₅₀ (dermal rabbit) >5,000 mg/kg
	LC ₅₀ (inhl rat) 96.4 mg/l, 4 hours

Cyclopentane	LD ₅₀ (oral rat) >5,000 mg/kg
	ALC (inhl mice) 110 mg/l, 2 hours

Chronic Exposure:

Reproductive Toxicity: Not classified as a reproductive system toxin.

Mutagenicity: Not classified as a mutagen.
Teratogenicity: Not classified as teratogenic or embryotoxic.
Specific Target Organ Toxicity (STOT) No end point data.
Toxicologically Synergistic Products: Not available.
Carcinogenic Status: This substance has not been identified as a carcinogen or probable carcinogen by NTP, IARC, or OSHA, nor have any of its components.

12. Ecological Information

12.1 Toxicity:

Aquatic Toxicity:

1,1,1,2,2,3,4,5,5- decafluoropentane LC₅₀ (96 hr): 27.2 mg/l Fathead Minnow
 LC₅₀ (96 hr): 13.9 mg/l Rainbow Trout
 EC₅₀ (48 hr): 11.7 mg/l Daphnia magna (invertebrate)
 ErC₅₀ (72 hr): >120 mg/l Green algae (aquatic plants)

Trans, 1,2-Dichlorethylene LC₅₀ (96 hr): 74 mg/l Bluegill Sunfish
 LC₅₀ (48 hr): 79 mg/l Daphnia magna (invertebrate)
 ErC₅₀ (96 hr): 798 mg/l Green algae (aquatic plants)

Cyclopentane EC₅₀ (48 hr): 10.5 mg/l Daphnia magna (invertebrate)

12.2 Persistence and degradability:

Product is not readily biodegradable.

12.3 Bioaccumulation potential:

No information available

12.4 Mobility in soil:

No information available

12.5 Results of PBT and vPvB Assessment:

This product is not, nor does it contain a substance that is a PBT or vPvB.

12.6 Other adverse effects:

Ozone Depletion Potential (ODP): 0
Global Warming Potential (GWP): 650

13. Disposal Considerations

Dispose of product in accordance with National and Local Regulations.

14. Transport Information

US DOT Domestic Ground Transportation: Not Regulated
UN Number: Not Listed
UN Proper shipping name: Not Applicable
Transport hazard class(es): Not Applicable
Packing group: Not Applicable
Environmental hazards: Not Applicable
Special precautions: None Known
ICAO/IATA-DGR: Not Regulated
IMDG: Not Regulated

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

USA Federal and State

All components are listed on the TSCA inventory.

Hazard Categories for SARA Section 311/312 Reporting	<u>Acute</u> Yes	<u>Chronic</u> No	<u>Fire</u> No	<u>Pressure</u> No	<u>Reactive</u> No
---	---------------------	----------------------	-------------------	-----------------------	-----------------------

	CERCLA/SARA Sec 302		SARA Sec. 313
<u>Components</u>	<u>Hazardous Substance RQ</u>	<u>EHS TPQ</u>	<u>Toxic Release</u>
Trans-1,2,-Dichloroethylene	Yes (1,000 lbs)	No	No

NFPA Ratings:

Health:	1
Fire:	0
Reactivity:	1

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel during spill, fire or similar emergencies. Hazard ratings are based on physical and toxic properties of combustion or decomposition.

European Union

All components are listed on the European Inventory of Existing Chemical Substances (ELINCS). Product complies with the communication requirements of REACH Regulation (EC) No. 1907/2006. It does not contain Substances of Very High Concern (SVHC).

Canada

All components are listed on the DSL inventory. This product has been classified according to the hazard criteria of the CPR and the SDS contains all the information required by the CPR.

WHMIS Classification: NC

Australia

All components are listed on the AICS. Hazardous according to criteria of NOHSC Australia.

15.2 Chemical Safety Assessment

No chemical safety assessment has been carried out for the mixture by the supplier.

16. Other Information

Abbreviations and acronyms:

- OSHA = Occupational Safety and Health Administration
- CLP = Classification, Labeling and Packaging Regulation
- STOT = Specific Target Organ Toxicity
- LD₅₀ = Median Lethal Dose
- DNEL = Derived No Effect Level
- ACGIH = American Conference of Governmental Industrial Hygienists
- TSCA = Toxic Substances Control Act (USA)
- DSL = Domestic Substances List (Canada)
- AICS = Australian Inventory of Chemical Substances

Revision Date: January 2, 2015
Revision Number: 4
Supersedes: November 25, 2014
Other: Not Applicable
Indication of Changes: Section 1, 2, 3, 15, 16 updated. Addition of acronyms and other formatting changes. Updated in accordance with the provisions of OSHA 1910.1200 App D and REACH Annex II (EU No 453/2010). (GHS format)

Product Name: SpliceMaster® Cable Cleaner Type NF

Revision Date: January 2, 2015

The information and recommendations contained herein are believed to be reliable. However, the supplier makes no warranties, express or implied, concerning the use of this product. The buyer must determine conditions of safe usage and assumes all risk and liability in handling this product.